

Luminaire LED IP65 en saillie spécial hotte de restauration professionnelle



Les nouvelles lampes LED procurent un flux lumineux supérieur aux lampes au néon classiques tout en étant économes en énergie • Normalisé dans boîtier spécial haute température en fibre de verre et polycarbonate spécial haute température • Optique en polycarbonate 2mm anti-feu et corps en fibre de verre renforcée • couleur gris • Ne convient pas aux barbecues : Pas de flamme !

FICHE TECHNIQUE

- Couleur RAL 7035
- Protection IP65 • Classe 1
- T° max : 60°C sans flamme
- Forte luminosité
- 4000 °K
- 230 V

2 modèles

- 24W 660 • 1,40 kg • Dimensions mm : 660x101x101 • 3920 Lumen
- 46W 1280 • 2,20 kg • Dimensions mm : 1282x101x101 • 7590 Lumen

Normes principales

- UNI EN 60529 (IP65)
- CEI EN 62471 (Sécurité photobiologique)

CHR Ventilation

www.chr-ventilation.fr

RESISTANCE TO CHEMICAL AGENTS

CHEMICAL AGENTS	Polyester	Polycarbonate	Stainless Steel
Acetic acid 10%	✓	✓	✓
Acetone	☹	x	✓
Alcoholic beverages	✓	✓	✓
Aluminium sulphate	✓	✓	☹
Ammonia 5%	☹	x	✓
Aniline	☹	x	✓
Arsenic acid 20%	☹	✓	✓
Benzene	x	x	☹
Bencylic alcohol	x	x	☹
Bromine	x	x	x
Calcium Chloride	✓	✓	☹
Calcium nitrate	✓	✓	☹
Carbon tetrachloride	x	x	☹
Carbonic acid	✓	x	✓
Caustic potash 5%	x	x	☹
Cement	✓	✓	☹
Hydrochloric acid 1-5%	☹	✓	x
Chlorine liquids (vapours)	x	x	☹
Chloroform	x	x	✓
Chromic acid	x	☹	☹
Citric acid 20%	✓	✓	☹
Copper sulphate	✓	✓	☹
Diesel-naphta oil	✓	☹	✓
Ethyl alcohol 30%	✓	✓	✓
Ethyl chloride	x	x	✓
Ethyl ether	✓	x	☹
Food oils and fats	✓	x	✓
Formic acid 10%	☹	✓	☹
Glycerine	✓	✓	✓

CHR Ventilation

www.chr-ventilation.fr

CHEMICAL AGENTS	Polyester	Polycarbonate	Stainless Steel
Hexane	☹	✓	✓
Iodine	✓	x	x
Iron chloride	✓	✓	x
Isopropyl alcohol	✓	☹	☹
Lubricating oil	✓	✓	✓
Magnesium sulphate	✓	✓	✓
Methanol	✓	x	✓
Mineral oils	✓	✓	✓
Nitric acid 20%	x	☹	✓
Oxygen	✓	✓	✓
Ozone	✓	✓	☹
Perchloric acid 10%	x	✓	x
Petrol	✓	x	✓
Phenol	☹	x	☹
Potassium bromide	✓	✓	☹
Potassium nitrate	✓	✓	☹
Potassium permanganate	✓	✓	☹
Sea climate	✓	✓	☹
Silicon oils	✓	✓	✓
Soda bleach 15%	✓	x	☹
Sodium chloride	✓	✓	☹
Sodium hydroxide 5%	✓	x	☹
Sodium sulphate	✓	✓	☹
Sugar	✓	✓	✓
Sulphur	✓	✓	☹
Sulphuric acid 30%	x	✓	x
Toluene	x	x	✓
Trichloroethylene	x	x	☹
Zinc sulphate	✓	✓	☹

✓	Resistant	☹	Relatively resistant	x	Non-resistant
---	-----------	---	----------------------	---	---------------